

Testing Update

Urine Microalbumin Test Name Changes

WHO: For all ambulatory and inpatient areas in the Froedtert Health System

WHAT: To align with more common terminology, the order names of LAB9245 Microalbumin Urine Random and LAB9246 Microalbumin, 24HR Urine will be updated, as well as the resulting lab components. See tables below.

Additional synonyms have been added to these orders such as “microalbumin,” “uACR,” “ACR,” “Albumin Creatinine,” and “ACRAT.”

	<i>Current Name</i>	<i>New Name</i>
Order (Procedure) LAB9245	Microalbumin Urine Random	Urine Albumin/Creatinine Ratio (UACR)
<i>Epic View</i>	<i>Current Component Name</i>	<i>New Component Name</i>
Chart Review	Microalbumin, Urine Random	Albumin Urine Random
	Microalbumin Creatinine Ratio	Urine Albumin/Creatinine Ratio (uACR)
	Creatinine, Urine Random	No change
Results Review	Urine Microalbumin Conc	Albumin Urine Random
	Creatinine U Conc	Creatinine, Urine Random
	U Microalbumin Calculation	Urine Albumin/Creatinine Ratio (UACR)
Order (Procedure) LAB9246	Microalbumin, 24Hr Urine	Albumin/Creatinine Ratio (UACR), 24 HR Urine (aka uACR)
<i>Epic View</i>	<i>Current Component Name</i>	<i>New Component Name</i>
Chart Review & Results Review	Microalbumin, Urine Measured	Albumin, Urine Measured
	Microalbumin, Urine Calculated U/TV	Albumin, 24 HR Urine
	Creatinine, Urine Calculated U/TV	Creatinine, 24Hr Urine Calculation
	Microalbumin Creatinine Ratio	Albumin Creatinine Ratio, 24 HR
Chart Review	Creatinine, Urine Measured	Creatinine, Urine
Results Review	Creatinine U Random	Creatinine, Urine

Some of these component updates will also appear for tests Creatinine, 24HR Urine [LAB9235] and Creatinine Clearance, Serum and Urine 24HR [LAB9328].



Testing Update

Urine Microalbumin Test Name Changes

This change will match the language used in the Diabetes Monitoring – Kidney Health Evaluation metric, as well as better align with the naming conventions used by Froedtert South and ThedaCare.

Examples of how the new test names will appear in Epic are provided at the end of this memo.

ACTION: Personal favorites/preference list will need to be updated with the newly renamed orders.

WHEN: December 10, 2025

QUESTIONS:

Laura Smy, PhD, Clinical Chemistry and Toxicology Co-Director, 414-805-6975, lsmy@mcw.edu

Rob Nerenz, PhD, Clinical Chemistry and Toxicology Co-Director, 414-805-7074, rnerenz@mcw.edu

Pearl Albright, Manager, Chemistry, 414.805.7977 palbright@wisconsindiagnostic.com

EPIC SUPPORT:

Any questions or concerns regarding this change can be directed to the Epic help desk at 805-2101. They will direct you to the appropriate person

